



Impacts of 25 years of Groundwater Extraction on Subsidence in the Mekong Delta, Vietnam

Author(s)

Minderhoud, P. S. J. Erkens, G. Pham, V. H. Erban, L. Kooi, H. Stouthamer, E.

Description / Abstract

Many major river deltas in the world are subsiding and consequently become increasingly vulnerable to flooding and storm surges, salinization and permanent inundation. For the Mekong Delta, annual subsidence rates up to several centimetres have been reported. Excessive groundwater extraction is suggested as the main driver. As groundwater levels drop, subsidence is induced through aquifer compaction. Over the past 25 years, groundwater exploitation has increased dramatically, transforming the delta from an almost undisturbed hydrogeological state to a situation with increasing aquifer depletion. Yet the exact contribution of groundwater exploitation to subsidence in the Mekong delta has remained unknown. In this study we deployed a delta-wide modelling approach, comprising a 3D hydrogeological model with an integrated subsidence module. This provides a quantitative spatially-explicit assessment of groundwater extraction-induced subsidence for the entire Mekong delta since the start of widespread overexploitation of the groundwater reserves.

Publication year

2017

Country

Viet Nam

Region

<u>Asia</u>

Publisher

Institute of Physics Publishing Ltd - IOP

Keywords

Sea-level Rise Mekong Delta Mekong River Groundwater Depletion Groundwater Management

Thematic Tagging

<u>Climate</u> Language English <u>View resource</u>

Related IWRM Tools



● Tool

Groundwater Management Plans

A3.03

Source URL:

 $\underline{https://iwrmactionhub.org/resource/impacts-25-years-groundwater-extraction-subsidence-mekong-delta-vietnam}$